
Aquip^{66°} IP66 WEATHERPROOF WIRING ACCESSORIES



WEATHERPROOF WIRING ACCESSORIES

The IP66-rated weatherproof socket and switch enclosures offer users a single fix installation - with the whole of the back box fixing to the wall to accommodate the socket or modules. Multiple knock-outs on each side (20mm) allow for entry from all angles, and a flexible rubber base with rear entry gasket provides extra weatherproof protection, as well as allowing for mounting on most types of uneven surfaces.





OA501AG

1 Gang IP66 Weatherproof Wiring Accessory Enclosure (35mm Back Box Depth)













OA835T

1 Gang 13A DP IP66 Weatherproof Switched Socket with Neon (Semi-Transparent Lid)



1 Gang 13A DP IP66 Weatherproof Switched Fused Connection Unit with Neon (Semi-Transparent Lid)

IP66



OA840T

2 Gang 13A DP IP66 Weatherproof Switched Socket with Neons (Semi-Transparent Lid)



1 Gang 13A DP IP66 Weatherproof Switched Fused Connection Unit with Neon





OA411AGU 1 Gang 10A 2 Way IP66 Minigrid™ Weatherproof Switch



OA412AGU 2 Gang 10A 2 Way IP66 Minigrid™ Weatherproof Switch



OA401AGU 1 Gang IP66 Unfurnished Weatherproof Switch With Minigrid[™] Yoke



OA402AGU 2 Gang IP66 Unfurnished Weatherproof Switch With Minigrid[™] Yoke

20A SWITCH MODULES



GRIDPRC

Gridpro® switch modules are 20A rated so they are ideal for both domestic and commercial applications.

Screw Attachment Feature Allows easy removal and assembly of the module onto a grid Yoke.

10A SWITCH MODULES



MINIGRID

Minigrid[™] switch modules are 10A rated so and feature a simply single screw installation.

Single

Screw Feature Easily and quickly mount modules onto unfurnished yokes by means of a simple single screw fixing.

FEATURES & BENEFITS

ROBUST CONSTRUCTION

- Polycarbonate construction
- High impact resistance
- UV protected against fading
- Ergonomic Design
- Smooth operation of switches
- Neutral modern design suitable for most locations
- Flexible rubber base allows for mounting on most types of uneven surfaces

MULTIPLE GLAND ENTRY POSITION

 Multiple knockouts (20mm) for entry from all angles

WEATHERPROOF - IP66

 Offers high level of protection against ingress of water jets and dust

MULTIPLE SWITCH CONFIGURATIONS

Designed to fit switched MiniGrid[®] Or GridPro[®] Modules (depending on which yoke purchased.



OA20021AG

1 Gang 20A 2 Way IP66 GridPro[®] Weatherproof Switch





OA20401AG 1 Gang IP66 Unfurnished Weatherproof Switch With GridPro[®] Yoke



P66

20A

66



United Kingdom

Scolmore Park, Landsberg, Lichfield Road Industrial Estate, Tamworth, Staffordshire B79 7XB United Kingdom

T: +44 (0)1827 63454 F: +44 (0)1827 63362 E: sales@scolmore.com

www.scolmore.com



Southern Ireland 18 Corrig Road, Sandyford Industrial Estate, Dublin D18 WV79 Ireland

T: +353 (1) 2811 122 F: +353 (1) 2811 224 E: sales@clicklitehouse.ie

www.clicklitehouse.ie

Scolmore

Scolmore Dubai Lake Central Tower, Office 1803, Business Bay, Dubai, UAE

UAE Office: +971 4589 6552 Mob: +971 52 451 1164 E: sales@scolmoredubai.com

www.scolmoredubai.com